

VEINCAS V800F VEIN FINDER



Evaluation and protection of blood vessels, optimization of venous visualization



**Available with a tabletop stand and/or
a rolling base with 360° rotation.**



The V800F uses 850 nm NIR technology for precise visualization of veins up to a depth of 8 mm. This technology allows for the clear localization and tracing of veins, optimizing the selection of veins for venipuncture procedures. By assessing the depth of target veins, the V800F improves the accuracy of interventions, reduces potential complications, and increases patient comfort and safety.

The V800F is equipped with multiple light modes and brightness levels to suit various clinical needs and environments.



Basic Mode

Provides a clear image of the veins for standard applications.




Inverted Mode

Inverts the colors of the image for enhanced vein distinction in certain skin types.



Green Light

Uses a specific wave length to reduce interference and improve vein visibility in patients with various skin tones.



Four adjustable brightness levels, allowing customization of lighting intensity based on ambient lighting conditions.




Default Size



Pediatric Sizes

Three projection sizes that cater to both adults and children to avoid interference from a wide image projection.



The V800F is used in a variety of medical contexts to improve venipuncture procedures, simplifying venous access for patients of all ages. This device is particularly useful in

Pediatrics

Oncology

Infusion room

Geriatrics

Laboratory

Emergency

The V800F offers a series of benefits that enhance venipuncture procedures and the patient experience

Rapid identification of veins	Increased success rate	Evaluation of vein condition
Patient comfort	Time-saving	Cost-effectiveness

KEY FEATURES

Operating modes	3 Modes (Basic, Inverted, Green)
Brightness Levels	4 adjustable levels
Sizes	Standard size and two pediatric sizes
Type of Light	NIR (Near-Infrared Light)
Wave length	850nm
Image Resolution	854*480 pixels
Investigation Depth	≤8 mm
Optimal Imaging Distance	210mm ± 30mm
Net Weight	350g
Dimensions	228 x 63 x 62 mm
Battery Rechargeable	Yes
Standby Time	≤4.5h
Charging Time	≤3.5h
Stand	Optional
Radiation Value	≤0.6mW/cm ²
Contents	V800F, Power adaptor, User manual, Accuracy test card

REFERENCES

V800F Vein Finder	DVILL800F
Table Stand	DVILL800F01
Floor Stand	DVILL800F02



Medical Device Class I - Compliant with Regulation (EU) 2017/745 on medical devices.

Shenzhen Vivolight Medical Device & Technology Co.,Ltd.
Room 511-A, 5th Floor, Block B, Building R2,
High-tech Industrial Park, No. 020, South Seventh Road,
Gaoxin Community, Yuehai Street, Nanshan District,
Shenzhen, 518063 Guangdong, P.R. China

GSH
30 rue Jean de Guiramand
13290 Aix en Provence | FRANCE
www.gsh-med.fr