CA-MI NEW ASKIR SUCTION UNIT 118 BOTTLE/BAG UU FLOVAC 2L

Ref. BCFLOV305







Information and specifications given for guidance only and subject to change. (Generated on 12/11/26)

SPENGLER MEDICAL | 30 rue Jean de Guiramand
13290 Aix-en-Provence | FRANCE
Tel: +33 (0)4 42 90 31 31 | Email: info@spengler-med.fr | www.spengler-med.fr

CA-MI NEW ASKIR SUCTION UNIT 118 BOTTLE/BAG UU FLOVAC 2L

Ref. BCFLOV305

DESCRIPTION

Electrical medical device for nasal and tracheal aspiration of body fluids in children or adults orally.

CA-MI New Askir 118 Suction Unit - Bottle/Sachet UU Flovac® 2L
Electric medical device for nasal and tracheal aspiration of body fluids in children or adults orally.
Main applications: Emergency, Home Care, Patient Transfer, Room, Tracheostomy, Med. Veterinarian

-
Composed of: New Askir 118 Suction Unit + Flovac 2L Kit (1x Reusable Flovac 2L Flovac Jar / 1x Sterile UU Pocket 2L Flovac/ 1x Set tubes Ø6X10mm + connectors / 1x Round Retractor for Flovac® System / 1x Yellow Male Connector FLOVAC System (5 pcs) / 1x Configuration Manual Suction Units)
- Large LCD display for easy reading of vacuum values with vacuum adjustment keys to increase suction accuracy.
-
Supplied accessories: Fluid collection jar with anti-reflux valve with different options / 8x14 Silicone hoses (autoclavable) and conical connector 10-11-12 mm- Antibacterial & Hydrophobic filter (single patient) + CH20 cannula / Power cord, 12V automotive adapter, universal AC/DC adapter - 3 operating modes: mains100-240V
, 12V
car adapter or and rechargeable internal battery make it a device that finds its Application in several areas and conditions.
- Long battery life and low noise level during operation.
-
PROXIMITY function is used to activate or deactivate the device without tactile contacts and prevents cross-contamination between two patients.
- Long-lasting brushless motor.
-
No smell of coal residues
-
Maximum vacuum (adjustable): -75 kPa -563 mmHg -0.75 Bar
-
Max free air flow: Hg 26 l/m (without jar
)- Operating
cycle: Uninterrupted (connected to the mains)
- Weight: 2.7 kg / Dimensions: 35 x 19 x 15 cm

Information and specifications given for guidance only and subject to change. (Generated on 12/11/26)

CA-MI NEW ASKIR SUCTION UNIT 118 BOTTLE/BAG UU FLOVAC 2L

Ref. BCFLOV305

SPECIFICATIONS

CE marking	CE 0123	Medical device	Class IIa
Barcode	3661040197241	HS code	90189084
Warranty (months)	24	Country of origin	Italy

Dimensions

Packed unit /Width (cm)	N/A	Unpacked unit /Width (cm)	N/A
Packed unit /Length (cm)	N/A	Unpacked unit /Length (cm)	N/A
Packed unit /Height (cm)	N/A	Unpacked unit /Height (cm)	N/A
Packed unit /Weight (kg)	2.7	Unpacked unit /Weight (kg)	2.7

Specific storage conditions

Min. temperature	-20 °C	Min. humidity	N/A
Max. temperature	45 °C	Max. humidity	85 %

Other characteristics

Packed unit /Quantity	N/A

Information and specifications given for guidance only and subject to change. (Generated on 12/11/26)

CA-MI NEW ASKIR SUCTION UNIT 118 BOTTLE/BAG UU FLOVAC 2L

Ref. BCFLOV305

CONTENT

	Quantity		Quantity
(BCASPI300) Askir 118 Electrical Suction Unit, 1L Jar in Makrolon CA-MI	1	(BCASPI135) Set of tubes Ø8x14mm+connectors Flovac ASKIR 36BR/C30/118/NEWHOSPIVAC	1
(BCASPI103) Container Flovac 2L Aspiret, Askir 20, 30, C30BR 31841	1	(BCASPI164) Male Connector (for Vacuum Port) for Askir 20 pack of 5's	1
(BCASPI100) Disposable Flovac liner 2L for Aspiret, Askir 20, 30, C30BR	1	(BCASPI504) IFU for CA-MI succion units	1

Information and specifications given for guidance only and subject to change. (Generated on 12/11/26)

SPENGLER MEDICAL | 30 rue Jean de Guiramand
13290 Aix-en-Provence | FRANCE
Tel: +33 (0)4 42 90 31 31 | Email: info@spengler-med.fr | www.spengler-med.fr