CA-MI NEW ASPIRET SUCTION UNIT BOTTLE/BAG UU FLOVAC 2L

Ref. BCFLOV30







Information and specifications given for guidance only and subject to change. (Generated on 12/11/26)

SPENGLER MEDICAL | 30 rue Jean de Guiramand
13290 Aix-en-Provence | FRANCE
Tel: +33 (0)4 42 90 31 31 | Email: info@spengler-med.fr | www.spengler-med.fr

CA-MI NEW ASPIRET SUCTION UNIT BOTTLE/BAG UU FLOVAC 2L

Ref. BCFLOV30

DESCRIPTION

Fixed electric surgical Suction Unit for draining body fluids and for performing oral, nasal and tracheal aspiration in adults and children.

New Aspiret CA-MI Phlegm Vacuum - FLOVAC® 2L Single Use Bottle/Bag
Fixed electric surgical Suction Unit designed to drain body fluids and perform oral, nasal and tracheal aspiration in adults and children.
Suitable for tracheostomy patients and is ideal for minor surgical applications as well as postoperative home treatments.

Main applications: ENT, Home care, Bedroom, Tracheostomy

Composed of: New Aspiret Suction Unit + Flovac 2L Kit (1x Reusable Flovac 2L Jar / 1x Sterile UU Pocket 2L Flovac/ 1x Set tubes Ø6X10mm + connectors / 1x Round Discer for Flovac System / 1x Yellow Male Connector FLOVAC System (5 pcs) / 1x Configuration Manual Suction Units)

- Optional
roller foot- The main system is equipped with a pressure gauge (bar & kPa) and a vacuum regulator
-
Supplied accessories: Fluid collection jar with an anti-reflux valve with different options / 6 x 10 Silicone hoses (autoclavable) and conical connectors ø 8-9-10 mm / Antibacterial & hydrophobic filter (single patient) / Cannula CH20 / Power cord with Schuko plug- Motor:
Maintenance-free oil-free piston pump
-
Power supply: 230V-50Hz - other configurations available on request
-
Maximum vacuum (adjustable): 0.75 Bar -75 kPa -563 mmHg
-
Max free air flow: 15 l/min
-
Noise level: 59.6 dBA
- Operating
cycle: Uninterrupted-
Weight: 2.2 kg / Dimensions: 23 x 19 x 16 cm

Information and specifications given for guidance only and subject to change. (Generated on 12/11/26)

CA-MI NEW ASPIRET SUCTION UNIT BOTTLE/BAG UU FLOVAC 2L

Ref. BCFLOV30

SPECIFICATIONS

CE marking	CE 0123	Medical device	Class IIa
Barcode	3661040197227	HS code	90189084
Warranty (months)	24	Country of origin	Italy

Dimensions

Packed unit /Width (cm)	N/A	Unpacked unit /Width (cm)	N/A
Packed unit /Length (cm)	N/A	Unpacked unit /Length (cm)	N/A
Packed unit /Height (cm)	N/A	Unpacked unit /Height (cm)	N/A
Packed unit /Weight (kg)	2.2	Unpacked unit /Weight (kg)	2.2

Specific storage conditions

Min. temperature	-20 °C	Min. humidity	N/A
Max. temperature	45 °C	Max. humidity	85 %

Other characteristics

Packed unit /Quantity	N/A

Information and specifications given for guidance only and subject to change. (Generated on 12/11/26)

CA-MI NEW ASPIRET SUCTION UNIT BOTTLE/BAG UU FLOVAC 2L

Ref. BCFLOV30

CONTENT

	Quantity		Quantity
(BCASPI01) New Aspiret electrical suction unit 1L autoclavable policarbonate jar	1	(BCASPI111) Set of Silicone Tubes Ø 6x10 Flovac + connector Aspiret, Askir 20/30	1
(BCASPI103) Container Flovac 2L Aspiret, Askir 20, 30, C30BR 31841	1	(BCASPI164) Male Connector (for Vacuum Port) for Askir 20 pack of 5's	1
(BCASPI100) Disposable Flovac liner 2L for Aspiret, Askir 20, 30, C30BR	1	(BCASPI504) IFU for CA-MI succion units	1

Information and specifications given for guidance only and subject to change. (Generated on 12/11/26)

SPENGLER MEDICAL | 30 rue Jean de Guiramand
13290 Aix-en-Provence | FRANCE
Tel: +33 (0)4 42 90 31 31 | Email: info@spengler-med.fr | www.spengler-med.fr