OXYSTART® - DIGITAL FINGERTIP PULSE OXIMETER BLUBERRY

Ref. 221052







Information and specifications given for guidance only and subject to change. (Generated on 12/11/26)

SPENGLER MEDICAL | 30 rue Jean de Guiramand
13290 Aix-en-Provence | FRANCE
Tel: +33 (0)4 42 90 31 31 | Email: info@spengler-med.fr | www.spengler-med.fr

OXYSTART® - DIGITAL FINGERTIP PULSE OXIMETER BLUBERRY

Ref. 221052

DESCRIPTION

For SpO2 spot check.

HIGH MEASUREMENT
ACCURACY• Plethysmography curve display•
High sensitivity sensor

EASY TO USE AND
CONVENIENT• Compact and lightweight•
Switch on at the touch of the clock•
Automatic shutdown after 5 seconds of non-use•
Automatic display
rotation• Simultaneous display in less than 10 sec. :
-pulsed oxygen saturation (% SpO2),
- heart rate,
- the intensity of the pulsatile signal (graph bar),
- the plethysmography curve.
• TFT display•
Low battery
indicator• Customizable display: 6 display modes.
• 5 levels of brightness

ADDITIONAL
INFORMATION• Comes with a wrist strap, a cover and 2 AAA LR03 batteries

Information and specifications given for guidance only and subject to change. (Generated on 12/11/26)

SPENGLER MEDICAL | 30 rue Jean de Guiramand
13290 Aix-en-Provence | FRANCE
Tel: +33 (0)4 42 90 31 31 | Email: info@spengler-med.fr | www.spengler-med.fr

OXYSTART® - DIGITAL FINGERTIP PULSE OXIMETER BLUBERRY

Ref. 221052

Spengler

SPECIFICATIONS

CE marking	CE 0123	Medical device	Class IIb
Barcode	3700446041809	HS code	90181910
Warranty (months)	24	Country of origin	China

Dimensions

Packed unit /Width (cm)	N/A	Unpacked unit /Width (cm)	N/A
Packed unit /Length (cm)	N/A	Unpacked unit /Length (cm)	N/A
Packed unit /Height (cm)	N/A	Unpacked unit /Height (cm)	N/A
Packed unit /Weight (kg)	0.135	Unpacked unit /Weight (kg)	0.06

Specific storage conditions

Min. temperature	-40 °C	Min. humidity	5 %
Max. temperature	60 °C	Max. humidity	95 %

Other characteristics

Packed unit /Quantity	1

Information and specifications given for guidance only and subject to change. (Generated on 12/11/26)