LUXASCOPE DERMATOSCOPE LED 3.7 V (RECHARGEABLE), INCL. USB-RECHARGER

Ref. C1.426.914

LUXAMED®

WARRANTY 2 YEARS 2 YEARS GUARANTEE





Rechargeable USB









Information and specifications given for guidance only and subject to change. (Generated on 12/11/26)

SPENGLER MEDICAL | 30 rue Jean de Guiramand
13290 Aix-en-Provence | FRANCE
Tel: +33 (0)4 42 90 31 31 | Email: info@spengler-med.fr | www.spengler-med.fr

LUXASCOPE DERMATOSCOPE LED 3.7 V (RECHARGEABLE), INCL. USB-RECHARGER

Ref. C1.426.914

LUXAMED®

DESCRIPTION

Innovative dermatoscope in pocket size, rechargeable USB

WITHOUT scale.

- Illumination: LED-Ring with 6 LEDs in concentric structure for a highly detailed image, homogenous light
- Maintenance-free, because no lamp replacement necessary
- Removable contact plate for easy cleaning
- Stepless zoom area with 10 x magnification for a distortion-free image
- Optimized design of head
- Can be dimmed
- Automatic switchoff after 3 minutes
- Life expectany of LEDs: approx. 100.000 hours by constant current drive
- Intensity of illumination: 10.000 Lux
- Colour temperature: approx. 4.200 K
- Two-component handle (aluminium / fibre-glass reinforced), also combinable with LuxaScope LED Otoscope- and Ophthalmoscope head
- Electronic ON/OFF push-button-switch
- Power supply: 1 lithium-ion rechargeable battery 3.7 V, inclusive
- Incl. recharger with USB plug (adapter EU/UK/US)
- Available in white (C1.426.914) and black (C1.426.114)

Information and specifications given for guidance only and subject to change. (Generated on 12/11/26)

LUXASCOPE DERMATOSCOPE LED 3.7 V (RECHARGEABLE), INCL. USB-RECHARGER

Ref. C1.426.914

LUXAMED®

SPECIFICATIONS

CE marking	N/A	Medical device	No
Barcode	04260381963882	HS code	90189084
Warranty (months)	24	Country of origin	Germany

Dimensions

Packed unit /Width (cm)	N/A	Unpacked unit /Width (cm)	N/A
Packed unit /Length (cm)	N/A	Unpacked unit /Length (cm)	N/A
Packed unit /Height (cm)	N/A	Unpacked unit /Height (cm)	N/A
Packed unit /Weight (kg)	N/A	Unpacked unit /Weight (kg)	N/A

Specific storage conditions

Min. temperature	5 °C	Min. humidity	10 %
Max. temperature	40 °C	Max. humidity	90 %

Other characteristics

Packed unit /Quantity	N/A	Colors	White

Information and specifications given for guidance only and subject to change. (Generated on 12/11/26)